

Index*

A

- Abbatiello, E. R., 337-347
- Activated charcoal as gastro-intestinal adsorbent in acute poisoning, 515-533
- adsorptive capacity of by substance, 516-523
- clinical experience with, 527-529
- toxicity of, 524-526
- Acylation procedure for amphetamine identification, 225-232
- Adler, M., 277-282
- Adulteration of heroin and cocaine, 239-243
- Aggressive behavior in mice, effect of d-amphetamine sulfate on, 337-347
- Alcohol inhibition of protein synthesis, 349-357
- American Association of Poison Control Centers, membership list 1973-1974, 81-108
- American College of Emergency Physicians, leadership list of, 247-251
- Aminopyrine in herbal medicines, 137-138
- Amphetamines, 179-190
- abuse potential of, 417-419
- cardiovascular effects of, 185
- GC screening procedure for, 211-224
- GC-MS identification procedure for, 225-232
- intravenous use of, hazards, 183-184
- medical use of, 180-181
- psychosis from, 187-188
- structure of, 417
- d-Amphetamine sulfate effect on aggressive behavior in mice, 337-347
- effect of on litter size and mortality ratio, 342
- Analeptics
- See Stimulants
- Antiepileptic drugs, single extraction GLC analysis of, 311-324
- Aponeuron, as amphetamine substitute, 421
- Aromatic amine bladder cancer, 23-36
- Arsenic
- carcinogenicity of, 292-293
- from kelp health food supplements, 325-331

*This index contains the names of all contributors to Volume 8, 1975.

- [Arsenic, continued]
 poisoning, from herbicide
 sublimation, 535-540
 Atropine in treatment of methidathion poisoning, 277-282
 Atropine derivatives
 abuse potential of, 435-436
 structure of, 436
- B**
- Backer, R. C., 283-287
 Barbiturate overdose, 495-513
 clinical features of, 496-501
 diagnosis of, 496-501
 elimination procedures for therapy, 508-509
 emergency treatment of, 502-503
 psychiatric assessment in, 509-510
 therapy for, 501, 509
 withdrawal syndrome in, 500-501
 Barbiturates
 abuse potential of and substitutes for, 425-430
 replacement of in medical treatment, 495-496, 510
 Baselt, R. C., 457-463
 Becker, C. E., 191-203
 Bemegrid, structure of, 29
 Benzidine, 13-42
 biotransformation of, 17-22
 carcinogenesis of, in animals, 22-27; in humans, 27-36
 congeners of, 14 ff
 structure of, 16
 Benzimidazoles, abuse potential of as opiate substitutes, 416
 Benzodiazepines, abuse potential of as barbiturate substitutes, 428-429
 Benzomorphans
 abuse potential of as morphine substitutes, 411-412
 structure of, 411
 Benzoylmethylecgonine
 See Cocaine
 Berenson, M. M., 399-404
 Bergeson, P. S., 535-540
 Biotransformation of benzidine
 in animals, 17-22
 in humans, 19
 Bleeding in LSD overdose, 191-203
 Blood
 coagulation of, iron poisoning effect on, 578-587
 lead in, micro determination techniques for, 53-58
 Blood clotting, nicotine effects on, 43-52
 Blood codeine concentrations in codeine-associated fatalities, 457-463
 Boerner, U., 191-203
 Budd, R. D., 211-224
- C**
- Caplan, Y. H., 283-287
 Carcinogenesis
 of benzidine, in animals, 22-27; in humans, 27-36
 of pesticides, 289-300
 of vinylidene chloride, 640
 Cardiac protein synthesis, alcohol effect on, 353-356
 Cardiovascular system
 amphetamine effects on, 185
 in barbiturate overdose, 498, 503-504
 cocaine effects on, 164, 167
 Cate, J. C., IV, 385-389
 Cavaille, G., 359-362
 Central nervous system
 amphetamine effects on, 179-190
 cocaine effects on, 163-166

- vinylidene chloride effects on, 636-639
- Cerebrospinal fluid-CNS salicylate levels, determination of, 623-631
- Charcoal
 See Activated Charcoal
- Children, poisoning in
 iatrogenic error in, 392-394
 incidence of by substance, 393
 iron, 575-597
 taste as deterrent to, 541-546
 under 12 months of age, 391-397
- Chlordiazepoxide, structure of, 429
- Choline analogs, abuse potential of as hallucinogens, 434
- Cleveland Poison Information Center computer retrieval system for poisoning therapy, 301-310
- Clinical Toxicologists Notebook: Narcan-Nalline, 563-564
- Cocaine
 adulteration of, 239-243
 dilution and synthesis of, 423-424
 epidemiology of use of, 172-173
 history of use of, 151-160
 identification of by field test, 205-210
 intravenous use of, hazards from adulteration, 239-243
 physiological effects of, 163-170
 structure of, 161, 423
 toxicity of, 168-170
- Codeine-associated fatalities, toxicologic findings in, 457-463
- Codeine and propranolol, toxicological findings in fatal ingestion of, 271-275
- Coma
 in barbiturate overdose, 497-498, 506-507
 in LSD overdose, 191-203
- Computer retrieval system for articles on poisoning therapy, 301-310
- Comstock, E. G., 515-533
- Cravey, R. H., 271-275
- Crystalluria from acute primidone overdose, 385-389
- D
- Daly, I., 337-347
- Deferoxamine in iron poisoning treatment, 10, 592-595
- Demographic variables among prescription drug abusers, 599-610
- Depressants, predictions of future abuse patterns of, 424-430
- Detergent toxicity to esophageal and gastric mucosa, 399-404
- Dextromethorphan, abuse potential of, 410-411, 438
- Dianisidine, 16 ff
- Diazepam, abuse potential of as barbiturate and structure of, 429
- 3,3'-Dichlorobenzidine, 16 ff
- Dietary arsenic from kelp health food supplements, 325-331
- Dikstein, S., 277-282
- Dilantin, single extraction GLC analysis of, 311-324
- Dimethylthiambutene, as morphine substitute, 416
- Diorthotoluidine, 16 ff
- Diphenylhydantoin in primidone overdose reaction, 385-389
- Done, A. K., 535-540
- Douglas, D. E., 325-331
- Drain cleaner fumes, acute poisoning and fatality from, 547-551

- Drug identification
 amphetamines, GC procedure
 for in urine, 211-224; GC-MS
 procedure for, 225-232
 antiepileptics, GLC single
 extraction method for,
 311-324
 cocaine, field test procedure for,
 205-210
 marijuana in criminal cases
 (editorial), 465-473
 phencyclidine, spectropho-
 tometric-GC procedure for,
 611-621
 RIA procedures and kits for,
 257-265
 theophylline, 553-561
 Drug synthesis, nonmedical, pre-
 dictions of future trends,
 405-456
 Drugs, nonmedical, social and
 medical perspectives
 marijuana, 233-237
 psychoactive substances,
 145-148
 Duncan, C. E., 283-287
 Dyestuff industry, carcinogenics
 in, 28-36
- E
- Eastly, T., 205-210
 Ecgonine as cocaine precursor,
 423-424
 Ephedrine, abuse potential of, 421
 Esophageal mucosa, detergent
 effect on, 399-404
 Ethosuxinimide, single extraction
 GLC analysis of, 311-324
 Eye, cocaine effects on, 167-168
- F
- Fenethylamine, as amphetamine
 substitute, 420-421
 structure of, 421
 Fentanyl, as morphine substitute,
 415
 structure of, 415
 Fibrinogen-thrombin reaction,
 nicotine effect on clot
 forming of, 43-52
 Friedman, G. D., 599-610
 Frings, C. S., 553-561
- G
- Garriott, J. C., 651-652
 Gastric mucosa
 detergent effects on, 399-404
 iron poisoning effects on,
 578-587
 Gastrointestinal decontamina-
 tion, activated charcoal in,
 515-533
 Gay, G. R., 149-178
 GC screening and identification
 of amphetamine and meth-
 amphetamine, 211-224
 GLC analysis of antiepileptic
 drugs, 311-324
 Glutethimide, structure of, 426
 Greengard, J., 575-597
 Gupta, R. C., 611-621
- H
- Haley, T. J., 13-42, 633-643
 Hallucinogens, predictions on
 future abuse patterns of,
 430-436
 Harmaline derivatives, abuse
 potential of, 434
 Hart, J. B., 179-190
 Hayden, J. W., 515-533
 Hemangiosarcoma, liver, from
 polyvinyl chloride, 289-291
 Hepatic protein synthesis,
 alcohol effect on, 350-
 353

- Herbal medicines, phenylbutazone and aminopyrine in, 137-138
Herbicides, arsenic poisoning from by sublimation, 535-540
Heroin
 adulteration of, 239-243
 intravenous use, hazards of from adulteration, 239-243
Hine, C. H., 457-463
Hyperthermia in LSD overdose, 191-203
Hypothermia in barbiturate overdose, 498, 505

I

- Iatrogenic error in poisoning of infants, 0-12 months, 392-394
Ibogaine, abuse potential of as hallucinogen, 432
Imipramine analogs, abuse potential of as stimulants, 423
Inaba, D. S., 149-178
Indoles, tryptamine related, abuse potential of as hallucinogens, 434
Infants, 0-12 months, poisoning in, 391-397
 See also Children
Intestinal infarction in iron intoxication, 3-12
Iron poisoning
 in children, 575-597
 diagnosis of, 582-586
 gastrointestinal effects, 3-12, 577-587
 liver effects, 577-587
 sources of in children, 576-577
 therapy for, 587-595
Isolation-induced aggression in mice, d-amphetamine effect on, 337-344

J

- Jain, N. C., 211-224

- Juselius, R. E., 53-58

K

- Kay, K., 289-300
Keefer, R. C., 553-561
Kelp, arsenic elevation from health foods containing, 325-331
Kent, T. H., 3-12
Kidney, vinylidene chloride effects on, 636-639
Klock, J. C., 191-203
Kochhar, M. M., 333-336
Kuruvilla, A., 535-540

L

- Lead, micro determination of in blood, 53-58
Lech, S. V., 599-610
Levy, I., 277-282
Liver, vinylidene chloride effects on, 636-639
LSD overdose, case studies of, 191-203
 clinical manifestations in, 193-194
 toxicologic data in, 194-196
LSD, synthesis and abuse potential of, 433
Lu, i., 611-621
Lundberg, G. D., 611-621
Lung and lymphatic cancer from arsenic, 292-293
Lupovich, P., 53-58
D-Lysergic acid diethylamide
 See LSD

M

- Marijuana
 analysis of Ravin v State decision on right of privacy in use of, 645-648

- [Marijuana, continued]
 - future use patterns of, 433
 - substitutes for, 432
 - Matthew, H., 495-513
 - Mecloqualone, abuse potential and structure of, 428
 - MEDLINE in computer retrieval system for poisoning therapy, 303-310
 - Meperidine analogs, abuse potential of as opiate substitutes, 412-414
 - structure of, 412
 - Mephobarbital, single extraction GLC analysis of, 311-324
 - Mescaline
 - GC-MS procedure for identification of, 225-232
 - structure of, 435
 - Methadone analogs, abuse potential of, 414-415
 - structure of, 414
 - Methamphetamine
 - GC screening procedure for, 211-224
 - GC-MS identification procedure for, 225-232
 - structure of, 417
 - Methaqualone
 - abuse potential of, 427-428
 - toxique mineur, hypnogene de choix, 359-362
 - Metharbital as barbiturate substitute, 426
 - Methedrine as cocaine dilutant, 423
 - Methodithion poisoning, treatment of, 277-282
 - Methsuximide, single extraction GLC analysis of, 311-324
 - Methylenedioxymphetamine, GC-MS identification procedure for, 225-232
 - Methylphenidate as amphetamine substitute, 419-420
 - Methypyrlyon, abuse potential of as barbiturate substitute and structure of, 427
 - Metzger, M. H., 465-473
 - Micro determination of blood lead, 53-58
 - Mikuriya, T. H., 145-148, 233-237
 - Moriarty, R., 53-58
 - Morphinans, structure of, 410
 - Morphine
 - in codeine-associated fatalities, 457-463
 - structure of, 410
 - Morphine substitutes, predictions on future abuse of, 408 ff
 - Mucosal tissue
 - cocaine absorption by, 168
 - esophageal and gastric, detergent effect on, 399-404
 - iron effects on, 3-12
- N
- Narcan, as Nalline antidote, 563-564
 - National Library of Medicine
 - MeSH vocabulary in computer retrieval system for poisoning therapy, 304-310
 - Nayfield, S., 3-12
 - Needham, L. L., 333-336
 - Newmeyer, J. A., 149-178
 - Nicotine effects on blood clotting, 43-52
 - Nonmedical drugs
 - predictions of future abuse patterns of, 405-456
 - social and medical perspectives, marijuana, 233-237; psychoactives, 145-148
 - Norcodeine, in codeine-associated fatalities, 457-463
 - Nutrient deficiency, effects of, 133-136

O

- Oderda, G. M., 547-551
Oei, G.-L., 611-621
Opiates, predictions of future
 abuse patterns of, 407-417
Oratz, M., 349-357
Over-the-counter drugs, abuse
 potential of, 437-438

P

- Palmisano, P. A., 623-631
Penicillamin, in arsenic poisoning
 treatment, 535-540
Peperidones, abuse potential of,
 426-427
Perry, D. C., 239-243
Pesticide poisoning, methidathion,
 treatment of, 277-282
Pesticides
 long-term assessment of
 toxicology of, 289-300
 microencapsulation of, 295-296
 relationship of neurotoxicity
 and carcinogenicity of, 293
Phencyclidine
 abuse potential of, 429-430
 spectrophotometric-GC deter-
 mination of in urine and illicit
 drugs, 611-621
 structure of, 429
Phenethylamines, abuse potential
 of, 434-435
Phenmetrazine as amphetamine
 substitute, 419-420
Phenobarbital
 abuse potential of, 425
 single extraction GLC analysis
 of, 311-324
Phenylacetone as amphetamine
 precursor, 418
Phenylbutazone in herbal medi-
 cines, 137-138
2-Phenyl-isopropylamine
 See Amphetamines
Pipradol, abuse potential of as
 stimulant, 422
Plant alkaloids, as hallucinogens,
 availability and abuse poten-
 tial of, 432-434
Polypharmacy in abuse of over-
 the-counter drugs, 438
Polyvinyl chloride, carcino-
 genicity of, 289-291
Prescription drugs
 abuse potential of, 437-438
 demographic variables of
 abusers of, 599-610
Primidone
 single extraction GLC analysis
 of, 311-324
 overdose, crystalluria from,
 385-389
Procaine as cocaine dilutant, 423
Propranolol and codeine, toxi-
 cological findings in fatal
 ingestion of, 271-275
Propylhexadrine, editorial on
 abuse potential of, 651-652
Protein binding, effect of on CNS-
 CSF salicylate levels, 623-631
Protein synthesis, alcohol inhibition
 of, 349-355
Pseudo-tropeines as cocaine sub-
 stitutes, 424
Psychosis, amphetamine induced,
 187-188

Q

- Quinine, toxic effects of as heroin
 and cocaine adulterant, 241-242

R

- Radioimmunoassay for drug identi-
 fication, procedures and kits
 for, 257-265
Rappolt, R. T., 149-178

- Rauber, A., 391-397
 Reed, J. R., 623-631
 Respiratory system
 in barbiturate overdose, 497,
 502-503
 cocaine effects on, 164
 drain cleaner fumes effect on,
 547-551
 methidathion effect on, 277-282
 Ritz, D. P., 311-324
 Roberts, R. J., 3-12
 Rothschild, M. A., 349-357

S

- Salicylate overdose, CNS-CSF
 levels in assessment of,
 623-631
 Saloom, J. M., 553-561
 Schaap, A. L., 301-310
 Schedule of Controlled Substances,
 selected annotated list of,
 439-450
 Schreiber, S. S., 349-357
 Screening of drugs
 amphetamine and methamphet-
 amine, urinary, GC procedure
 for, 211-224
 See also Drug Identification
 Sex differences in aggressive
 behavior of d-amphetamine-
 treated mice, 341-347
 Sheppard, C. W., 149-178
 Shock in iron poisoning, 577 ff
 Shulgin, A. T., 405-456
 Singh, J. M., 43-52
 Singh, M. D., 43-52
 Sneath, T. C., 211-224
 Soper, R., 3-12
 Spectrophotometric method for
 theophylline determination,
 553-561
 Spectrophotometric-GC procedure
 for phencyclidine determina-
 tion, 611-621
 Spiehler, V., 257-265
 Stimulants, predictions on future
 abuse patterns of, 417-424
 Stremming, K., 541-546
 Sulfuric acid poisoning from drain
 cleaner fumes, 547-551
 Sunshine, I., 301-310
 Suttel, R., 359-362

T

- Taste as deterrent in pediatric
 poisoning, 541-546
 Technicians, toxicology, training
 program for, 333-336
 Teitelman, U., 277-282
 Temple, A. R., 399-404, 541-546
 Tenser, R., 385-389
 Tetrachlorinated-p-dioxin poison-
 ing from contaminated oil,
 294-295
 Tetrahydrocannabinols, abuse
 potential of, 432
 Thebaine
 as source of morphinomimetics,
 408
 structure, 409
 Theophylline, spectrophotometric
 determination of, 553-561
 Therapy for barbiturate overdose,
 501-509
 Therapy for drug overdose, pro-
 posals for, 475-482
 Therapy of poisoning
 activated charcoal in, 515-533
 arsenic, penicillamine in, 535-
 540
 computer retrieval system for,
 301-310

- iron, 587-595
- Thiopental
 - infrared spectrum of, 285
 - toxicological findings in suicide by, 283-287
- Thrombin-fibrinogen reaction,
 - nicotine effect on clot forming of, 43-52
- Thrombophlebitis in barbiturate overdose, 500, 503-504
- Tobacco
 - See Nicotine
- Toxogonin in treatment of methidathion poisoning, 277-282
- Training
 - medical schools with toxicology programs, 125-131
 - program in bioanalytical toxicology, 333-336
- Turner, J. E., 271-275

U

- Urinary bladder tumors, benzidine induction of in humans, 28-36

Ury, H. K., 599-610

V

- Vinylidene chloride, 633-643
 - carcinogenesis of, 640
 - metabolism of, 634-636
 - toxicology of, in animals, 636-638; in humans, 638-639

W

- Walkiw, O., 325-331
- Wallace, J., 179-190
- Warren, C. G., 311-324
- Winek, C. L., 205-210
- Withdrawal syndrome in barbiturate overdose, 500-501
- Wright, J. A., 457-463
- Wu, A., 225-232